

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 17.05.2016

Version number 1

Revision: 17.05.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: HYDRAULIC 46

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

LPC S.A.

Megaridos Avenue 124

Aspropyrgos - Attica , 193 00

Tel.: 210 - 809 3900

Fax: 210 - 809 3999

e-mail: technical@cyclon.gr

1.4 Emergency telephone number:



Emergency telephone number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP: Void

Hazard pictograms: Void

Signal word: Void

Hazard statements: Void

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture

Ingredients according Regulation (EU) 830/2015: Void

(Contd. on page 2)

GB

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 17.05.2016

Version number 1

Revision: 17.05.2016

Trade name: HYDRAULIC 46

(Contd. of page 1)

Ingredients

CAS: 64742-54-7 EINECS: 265-157-1 Index number: 649-467-00-8 Reg.nr.: 01-2119484627-25-XXXX	Distillates (petroleum), hydrotreated heavy paraffinic	60-90%
--	--	--------

Additional information:

The classification as a carcinogen does not need to apply because the substance Distillates (petroleum), hydrotreated heavy paraffinic (cas number 64742-54-7) contains less than 3 % DMSO extract.
 For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information:**

No special measures required.

Take affected persons out into the fresh air.

After inhalation: Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed Not known or expected results.

4.3 Indication of any immediate medical attention and special treatment needed

No special measures are required.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents: CO₂, powder or water spray. Fight larger fire with foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO₂)

5.3 Advice for firefighters**Protective equipment:**

Mouth respiratory protective device.

Wear fully protective suit.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Keep away from ignition sources.

Particular danger of slipping on leaked/spilled product.

6.1.1 For non-emergency personnel

Keep away from ignition sources.

(Contd. on page 3)

—GB—

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 17.05.2016

Version number 1

Revision: 17.05.2016

Trade name: HYDRAULIC 46

(Contd. of page 2)

Caution for slippery surfaces.

Avoid contact with skin and eyes.

6.1.2 For emergency responders

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

6.2 Environmental precautions:

Control leakage with a non combustible absorbent material, such as earth or sand.

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Use adequate personal protective equipment as required. For more information regarding protective equipment see section 8.

Information about fire - and explosion protection:

Protect against electrostatic charges.

Keep away from sources of ignition and flammable materials.

7.2 Conditions for safe storage, including any incompatibilities**Storage:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Requirements to be met by storerooms and receptacles: Store in a cool location.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**7.3 Specific end use(s)** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls**8.2.1. Appropriate engineering controls**

Use of local ventilation is advised.

It is recommended that the product is stored and handled in closed systems.

Personal protective equipment**Respiratory protection:** Not required.

(Contd. on page 4)

—GB—

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 17.05.2016

Version number 1

Revision: 17.05.2016

Trade name: HYDRAULIC 46

(Contd. of page 3)

Protection of hands:

Protective gloves

Oil resistant gloves

Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection:

Safety glasses

Body protection:

Protective work clothing

Oil resistant protective clothing

Environmental exposure controls: No further recommendations. See section 6.**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Colour:	brown
Odour:	Oil
Odour threshold:	Not determined

pH value:	Not determined
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined

Flash point: 230 °C**Flammability (solid, gaseous):** Not applicable**Auto-ignition temperature:** Not determined**Decomposition temperature:** Not determined**Self-igniting:** Product is not selfigniting.**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:**

Lower:	Not determined
Upper:	Not determined

Vapour pressure: Not determined**Density:** 0,874 g/cm³**Relative density:** Not determined

(Contd. on page 5)

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 17.05.2016

Version number 1

Revision: 17.05.2016

Trade name: HYDRAULIC 46

(Contd. of page 4)

Vapour density	Not determined
Evaporation rate	Not determined
Solubility in / Miscibility with water:	Not miscible
Partition coefficient (n-octanol/water):	Not determined
Viscosity:	
Dynamic:	Not determined
Kinematic at 40 °C:	46 cSt
Kinematic viscosity at 100 °C	6.7 cSt
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid Oxidising agents

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

The mixture is not carcinogenetic, mutagenetic, toxic for reproduction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

(Contd. on page 6)

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 17.05.2016

Version number 1

Revision: 17.05.2016

Trade name: HYDRAULIC 46

(Contd. of page 5)

12.6 Other adverse effects

Uncontrolled release of the product to the environment must be prohibited.

The product floats on water and does not mix with it.

Spillage of the product may form a layer on the water surface which can damage aquatic organism due to lack of oxygenation.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

In case of discarding waste oil, according European Directive 75/439/EEC, recycling of the product is recommended. Disposal of large amounts must be carried out from qualified, authorized body.



Dispose according to National Regulations.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation: Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information

14.1 UN-Number	Void
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	Void
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	Void
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	Void
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH Regulation 1907/2006/EC

Regulation (EU) 2015/830

CLP Regulation 1272/2008/EC

(Contd. on page 7)

Safety Data Sheet
complying with Regulation 1907/2006/EC (REACH Regulation),
EU 2015/830 and Regulation No 1272/2008/EC (CLP)

Printing date 17.05.2016

Version number 1

Revision: 17.05.2016

Trade name: HYDRAULIC 46

(Contd. of page 6)

Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations: No further information available.

Other regulations, limitations and prohibitive regulations**Substances of very high concern (SVHC) according to REACH, Article 57**

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative